

Chrome Fittings

Compression, Valves and Sundries



Straight Coupling

cu x cu



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

Straight Boiler

cu x mi Parallel



15 mm x 1/2"
22 mm x 3/4"
22 mm x 1"
28 mm x 1"
35 mm x 1 1/4"
42 mm x 1 1/2"
54 mm x 2"

Tank Connector

cu x mi Extended Thread
c/w Back Nut



15 mm x 1/2"
22 mm x 3/4"
28 mm x 1"

Swivel Couplings

cu x fi (Tap Connector)



15 mm x 1/2"
22 mm x 3/4"

Straight Adaptors

cu x fi



15 mm x 1/2"
22 mm x 3/4"
22 mm x 1"
28 mm x 1"
35 mm x 1 1/4"
42 mm x 1 1/2"
54 mm x 2"

Equal Elbows

cu x cu



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

Swivel Elbows

cu x fi
(Tap Connector)



15 mm x 1/2"
22 mm x 3/4"

Elbows

cu x mi Parallel



15 mm x 1/2"
22 mm x 3/4"
22 mm x 1"
28 mm x 1"
35 mm x 1 1/4"
42 mm x 1 1/2"
54 mm x 2"

Equal Tee

cu x cu x cu



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

Reducing Tee



22 x 22 x 15 mm
28 x 28 x 22 mm
22 x 15 x 22 mm
22 x 15 x 15 mm
15 x 15 mm x 1/2"
22 x 22 mm x 1/2"

Stop End



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

Elbows

cu x fi



15 mm x 1/2"
22 mm x 3/4"
22 mm x 1"
28 mm x 1"
35 mm x 1 1/4"
42 mm x 1 1/2"
54 mm x 2"

Reducing Sets



22 x 15 mm
28 x 15 mm
28 x 22 mm
35 x 15 mm
35 x 22 mm
35 x 28 mm
42 x 15 mm
42 x 22 mm
42 x 28 mm
42 x 35 mm
54 x 15 mm
54 x 22 mm
54 x 28 mm
54 x 35 mm
54 x 42 mm

M.T. Cock Screwed Type



1/2"
3/4"

M.T. Cock Solder Type



1/2"
3/4"

Gate Valve

c x c GM



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

Stopcock

c x c GM



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

Double Check Valves



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

Single Piping 3/4 or Mid



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm
67 mm
76 mm
108 mm

Holderbat



15 mm
22 mm
28 mm
35 mm
42 mm
54 mm

NEW
for 2006

Tees



15 x 15 mm x 1/2"
22 x 22 mm x 3/4"
28 x 28 x 1" mm